# Fisher Scientific

# SAFETY DATA SHEET

Creation Date 09-Sep-2014 Revision Date 22-Nov-2017 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identification

Product Description: Kaolin - light washed with acid K/0050/60, K/0050/63, K/0050/70
Synonyms Aluminium silicate (hydrated)

 CAS-No
 1332-58-7

 EC-No.
 310-194-1

 Molecular Formula
 H2Al2Si2O8.H2O

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# 1.3. Details of the supplier of the safety data sheet

**Company** Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# CLP Classification - Regulation (EC) No 1272/2008

Not hazardous **Physical hazards** 

Based on available data, the classification criteria are not met

**Health hazards** 

Based on available data, the classification criteria are not met

**Environmental hazards** 

Based on available data, the classification criteria are not met

# 2.2. Label elements

Revision Date 22-Nov-2017

**Hazard Statements** 

**Precautionary Statements** 

### 2.3. Other hazards

No information available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Kaolin	1332-58-7	EEC No. 310-194-1	> 95	-

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

**Ingestion** Do not induce vomiting. Obtain medical attention.

**Inhalation** Move to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial

respiration.

**Self-Protection of the First Aider** No special precautions required.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

**Suitable Extinguishing Media** 

### Kaolin - light washed with acid

Revision Date 22-Nov-2017

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

None under normal use conditions.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Avoid release to the environment. See Section 12 for additional ecological information.

### 6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

# 7.3. Specific end use(s)

Use in laboratories

Revision Date 22-Nov-2017

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1. Control parameters

# **Exposure limits**

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Kaolin		TWA: 2 mg/m <sup>3</sup>	TWA / VME: 10 mg/m <sup>3</sup> (8 heures).	TWA: 2 mg/m <sup>3</sup> 8 uren	TWA / VLA-ED: 2 mg/n (8 horas)
C	l tale.		Dominional	The Nothenier de	Finland
Component	Italy	Germany	Portugal	The Netherlands	Finland
Kaolin			TWA: 2 mg/m <sup>3</sup> 8 horas	MAC-TGG 10 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Component	Austria	Denmark	Switzerland	Poland	Norway
Kaolin		TWA: 2 mg/m <sup>3</sup> 8 timer	TWA: 3 mg/m <sup>3</sup> 8 Stunden	TWA: 10.0 mg/m³ 8 godzinach	
Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Kaolin	TWA: 3.0 mg/m <sup>3</sup>	TWA-GVI: 2 mg/m <sup>3</sup> 8	TWA: 2 mg/m <sup>3</sup> 8 hr.		
	TWA: 6.0 mg/m <sup>3</sup>	satima. respirable dust	respirable dust		
Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Kaolin					TWA: 2.0 mg/m <sup>3</sup> 8
					klukkustundum.
					respirable dust
					Ceiling: 4 mg/m <sup>3</sup>
					respirable dust
Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Kaolin		TWA: 2 mg/m <sup>3</sup>			
		TWA: 10 mg/m <sup>3</sup> total			
		aerosol			1

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL)

No information available

	Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
İ	Oral			, ,	
١	Dermal				
-	Inhalation				

**Predicted No Effect Concentration** No information available. **(PNEC)** 

Revision Date 22-Nov-2017

### 8.2. Exposure controls

### **Engineering Measures**

None under normal use conditions.

Personal protective equipment

**Eye Protection** Safety glasses with side-shields (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

**Environmental exposure controls** No information available.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

**Appearance** Beige Powder Solid **Physical State** 

Odorless Odor

**Odor Threshold** No data available No information available pН Melting Point/Range 1750 °C / 3182 °F **Softening Point** No data available **Boiling Point/Range** No information available

Flash Point No information available Method - No information available

Not applicable Solid **Evaporation Rate** 

Flammability (solid,gas) No information available

**Explosion Limits** No data available

negligible **Vapor Pressure** 

Not applicable **Vapor Density** Solid

Specific Gravity / Density No data available

Solid

Kaolin - light washed with acid

Bulk Density No data available

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature

Viscosity

Not applicable

Not applicable

Explosive Properties No information available Oxidizing Properties No information available

9.2. Other information

Molecular Formula H2Al2Si2O8.H2O

Molecular Weight 258.2

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNo information available.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products. Excess heat.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal use conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

OralNo data availableDermalNo data availableInhalationNo data available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available

FSUK0050

Revision Date 22-Nov-2017

Kaolin - light washed with acid Revision Date 22-Nov-2017

Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Kaolin			Cat. 3B	

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available

delayed

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Do not empty into drains. .

12.2. Persistence and degradability

Persistence Insoluble in water.

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate

12.4. Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility.

12.5. Results of PBT and vPvB

<u>assessment</u>

No data available for assessment.

12.6. Other adverse effects

Endocrine Disruptor Information
Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Kaolin - light washed with acid Revision Date 22-Nov-2017

Waste from Residues / Unused

**Products** 

Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

<u>IATA</u> Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Kaolin	310-194-1	-		X	X	-	X	X	X	X	X

### **National Regulations**

tring transfer transfer (1.1.1.1.)	Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
------------------------------------	-----------	--	-------------------------

### Kaolin - light washed with acid

Revision Date 22-Nov-2017

Kaolin	nwg - nicht wassergefährdend (non-hazardous to	
	waters)	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

**DNEL** - Derived No Effect Level 
PNEC - Predicted No Effect Concentration

RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%
LC50 - Lethal Concentration 50%
LC50 - Effective Concentration 50%

NOEC - No Observed Effect ConcentrationPOW - Partition coefficient Octanol:WaterPBT - Persistent, Bioaccumulative, ToxicvPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

IMO/IMDG - International Maritime Organization/International Maritime

MARPOL - International Convention for the Prevention of Pollution from Ships

OECD - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate

BCF - Bioconcentration factor

VOC - Volatile Organic Compounds

Key literature references and sources for data

Rey literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

# **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Creation Date09-Sep-2014Revision Date22-Nov-2017Revision SummaryUpdate to Format.

### Disclaime

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**